

# General Specifications and Craft Data



Lupo Di Mare, 57x12ft Wide-beam, built 2017

**Sale Price: £148,500 (Available with mooring license at Harts Boatyard)**

Builder	Stewart Marine
Boat Class	Residential Wide beam Canal Boat
Boat Name	Lupo Di Mare
Commission Date	2017
Craft Identification Number	GBSMAB3478G717
RCD Design Category	D (inland waterways)

## Hull Particulars

Waterline Length	17.3m
Length overall	18.3M
Beam overall	3.6m
Draft (fully Loaded)	0.8m
Minimum Height Clearance	1.7m

## Loadings

Weight (mass in lightship condition)	24,000kg
Maximum Carry on weight (baggage etc)	2,000kg
Maximum Persons (adult)	900kg
Maximum load on builders plate	26,000kg
Weight of fluids and permanent load	2,000kg
Maimum Total Recommended Load	4,900kg
Weight (mass fully loaded)	28,000kg

## Engine Systems

Type of propulsion	
Engine Make / Model	Beta Marine 65Hp
Engine Serial Number	7HF3478
Gearbox Make	PRM 150
Gearbox Serial Number	VO25111W20942
Propeller	19x13in
Shaft Dia	35mm Stainless Steel
Stern Tube / Packing	Water Cooled Inconel

## Fuel Tankage

Lupo Di Mare Datasheet

# General Specifications and Craft Data

Fuel Tank Capacity	350L
Type of Fuel	Diesel
Fuel filling point	Aft Deck
Fuel Drain point	Engine compartment
Tank Material	Integral Steel Tank

## Water Tankage

Water Tank Capacity	900L
Water filling point	Front Deck
Water Drain Point	N/A

## Black Water Tankage

Black Water Tank Capacity	345L
Tank Material	Plastic, Leesan tank
Holding tank Pump out point	Roof, Starboard side.

## LPG Cylinders

LPG Lockers Location	Aft Deck
Main LPG Shut off valve location	Aft Deck in Gas locker

## Ventilation

Fixed Ventilation High (Position and size)	Roof, 5x Mushroom Vents
Fixed Ventilation Low (Position and size)	Front and Rear Doors

## Water Systems

Water pump	Johnson Aquajet Flowmaster 5 12V
Shower pump	Viking Power 16
Bilge Pump	98Lpm in Engine compartment
Calorifier	Sigmar Marine Twin Coil Inox 60ltr 800w
Central heating	Webasto Thermotop C 5KW
W.C.	Sanimarin C48

# General Specifications and Craft Data



## Electrical

Starter Battery	110amp hour 12V x1
Domestic Batteries	110amp hour 12V x 3
Other Batteries	
Battery Master-switch Location	Engine Compartment Starboard
Inverter/Charger	Mastervolt Mass Combi 12/2200-10
Inverter Control / Display	Analogue Displays
Alternators	Standard as fitted.

## Steelwork

Base Plating	10mm
Hull Side Plating	6mm
Cabin Plating	4mm
Roof Plating	4mm
Anodes	Mag Guard, or equivalent 1.5kg Magnesium Alloy x 4



